

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	45875	(bump stud protrusion projection).clm.	US-PGP UB	OR	ON	2005/07/28 16:42
L4	115994	(sensor detector measuring).clm.	US-PGP UB	OR	ON	2005/07/28 16:42
L5	198332	(substrate mount submount support).clm.	US-PGP UB	OR	ON	2005/07/28 16:43
L6	59254	(movable displacement midro-mechanical mems).clm.	US-PGP UB	OR	ON	2005/07/28 16:44
L7	86206	(insulator insulation insulate dielectric oxide nitride).clm.	US-PGP UB	OR	ON	2005/07/28 16:45
L8	127	3 4 5 6 7	US-PGP UB	AND	ON	2005/07/28 17:25
L15	5	("075881" "896042" "091497" "525514").ap. and @pd>"20000915" and fujii	US-PGP UB; USPAT	OR	ON	2005/07/28 17:04
L17	85	8 and @pd>"20030322"	US-PGP UB	AND	ON	2005/07/28 17:25

Interface Search

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L15	5	("075881" "896042" "091497" "525514").ap. and @pd>"20000915" and fujii	US-PGP UB; USPAT	OR	ON	2005/07/28 17:04
L18	84	(grounded grounding ground) and (silicon-on-insulator soi) and sensor and @pd>"20050415"	US-PGP UB; USPAT	OR	ON	2005/07/28 17:29
L19	2148	(signal or information) adj processor and (sensor or detector) and @pd>"20050415"	US-PGP UB; USPAT	OR	OFF	2005/07/28 17:29
L20	24	(signal or information) adj processor and (sensor or detector) and (silicon-on-insulator soi) and @pd>"20050415"	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/07/28 17:29
L21	1	("2001227902" "6316840" "10253652" "6035712") and @pd>"20050415"	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/07/28 17:29
L22	15	Otani and sensor and @pd>"20050415"	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/07/28 17:29

L23	6	Otani and sensor and signal and @pd>"20050415"	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/07/28 17:30
L25	2115	((257/415,417) or (73/493, 514.01)).CCLS.	US-PGP UB; USPAT; USOCR	OR	OFF	2005/07/28 17:30
L26	44	25 and @pd>"20050415"	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/07/28 17:30